## IN THE UNITED STATES PATENT AND TRADMARK OFFICE

Micants: Lee, et al.

Serial No.: 10/634,678

Filed: August 5, 2003

Title: FUSED AZABICYCLIC COMPOUNDS THAT INHIBIT VANILLOID RECEPTOR SUBTYPE 1

(VR1) RECEPTOR

Case No.: 6888USP1

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450 Group Art No.: 1614

Examiner: (not yet assigned)

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being deposited with the United States Postal Service on the date shown below with sufficient postage as first class mail in an envelope addressed to the:

first class mail in an envelope addressed

Commissioner for Patents P.O. Box 1450

Alexandria, VA 22313-1450 on:

Date of Deposit: February 23, 2004

Tanya Parent 2/2

a Parent D

## TRANSMITTAL LETTER

Dear Sir:

Enclosed herewith for the patent application identified above entitled FUSED AZABICYCLIC COMPOUNDS THAT INHIBIT VANILLOID RECEPTOR SUBTYPE 1 (VR1) RECEPTOR are the following:

- 1. Information Disclosure Statement;
- 2. Form PTO 1449, in duplicate;
- 3. References as cited on PTO 1449 (34 references); and
- 4. Return Receipt Postcard.

The Commissioner is hereby authorized to charge any additional Filing Fees required under 37 CFR §1.16, as well as any patent application processing fees under 37 CFR §1.17 associated with this communication for which full payment had not been tendered, to Deposit Account No. 01-0025.

Respectfully submitted,

Lee, et al.

ABBOTT LABORATORIES

Customer Number 23492 Telephone: (847) 935-7956

Facsimile: (847) 938-2623

Johanna M. Corbin

Registration No. 51,582

Attorney for Applicants



applicants: Lee, et al.

Serial No.: 10/634,678

Filed: August 5, 2003

Title: FUSED AZABICYCLIC COMPOUNDS THAT INHIBIT VANILLOID RECEPTOR SUBTYPE 1

(VR1) RECEPTOR

Case No.: 6888USP1

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450 Group Art No.: 1614

Examiner: (not yet assigned)

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being deposited with the United States Postal Service on the date shown below with sufficient postage as first class mail in an envelope addressed to the:

Commissioner for Patents P.O. Box 1450

Alexandria, VA 22313-1450 on:

Date of Deposit: February 23, 2004

Canva Parent

Date

## INFORMATION DISCLOSURE STATEMENT

Dear Sir:

Pursuant to 37 C.F.R. §§ 1.56 and 1.97(b), Applicants bring to the attention of the Examiner the documents listed on the attached PTO 1449. This Information Disclosure Statement is being filed, to the knowledge of the undersigned, before the mailing date of a first Office Action on the merits. Applicants respectfully petition and request that the Examiner consider the listed documents and evidence such consideration by making appropriate notations on the attached form. Copies of the listed documents are attached.

Applicants further reserve the right to take appropriate action to establish the patentability of the disclosed invention over the listed documents, should one or more of the documents be applied against the claims of the present application.

The Commissioner is authorized to charge our Deposit Account any additional fees (or credit any over payments) that may be required under 37 C.F.R. §§ 1.16 and 1.17 in association with this communication for which full payment has not been tendered.

ABBOTT LABORATORIES

Customer Number 23492 Telephone: (847) 935-7956 Facsimile: (847) 938-2623 Respectfully submitted,

Lee, et al.

Johanna M. Corbin

Registration No. 51,582 Attorney for Applicants For PTO - 1449 (Modified)

(Modified) PATENT AND TRADEMARK OFFICE					ATTY. DOCKET NO. 6888USP1			SERIAL NO. 10/634,678		
INFORMATION DISCLOSURE STATEMENT BY APPLICANT					APPLICANT(S) Lee et al.					
					FILING DATE GROUP					
(Use several sheets if necessary)					August 5,	1614	1614			
(37 CFR 1.98 (t	0))				L			L,	*	<del></del>
		7 2.00	U.S.PATEN	T DOO	CUMENTS					
EXAMINER INITIAL		PATENT NUMBER	ISSUE DATE	INVENTOR				JB FILING ASS DATE		
	<u> </u>			1		<u> </u>		L		
	FOR	EIGN PATENT O								
		DOCUMENT NUMBER	PUBLIC-ATION DATE	PA	OUNTRY OR TENT OFFIC			SUB CLASS		
	В1	03/014064	20.02.2003	WC	)					
	B2	02/08221	31.01.2002	WC	)				1	
	В3	00/50387	31.08.2000	wc	)					
	В4	1 344 579		FR					X	
	0	THER DOCUMEN	TS (Including	Author	, Title, Date,	Place of	Public	cation)		
	Cl	Adams et al., "Dia	alkylaminoalky	lquino	lines," J. Ch	em. Soc.	3066	-3071	(1957)	)
	C2	Berge, et al. "Pharmaceutical Salts," Journal of Pharmaceutical Sciences 66:1 et seq. (1977)							et seq.	
	C3	Cannon et al., "Synthesis of N-alkyl derivatives of 4-(2'-aminothyl)indole," J. Heterocyclic Chemistry 19:1195-1199 (1982)								
	C4	Caterina, et al., "Impaired Nociception and pain sensation in mice lacking the capsaicin receptor," Science 288:306-313 (2000)								
	C5	Caterina, et al., "The capsaicin receptor: a heat-activated ion channel in the pain pathway," Nature 389:816-824 (1997)								
	C6	Caterina, et al., "The Vanilloid Receptor: A Molecular gateway to the pain pathway,"  Annual Review of Neuroscience 24:487-517 (2001)								
	C7	Collier, et al., Br. J. Pharmacol. Chemother. 32:295-310 (1968)								
	C8	Craig et al., "Derivatives of aminoisoquinolines," J. Am. Chem. Soc. 64:783-784 (1942)						84		
	C9	Davies, "Indazole Derivatives: The synthesis of various amino- and hydroxy-indazoles and derived sulphonic acids," J. Chem. Soc. 2412-2423 (1955)								
	C10	Davis, et al., "Vanilloid receptor-1 is essential for inflammatory thermal hyperalgesia,"  Nature 405:183-187 (2000)								
	CII	Fieser et al., "A comparison of heterocyclic systems with benzene. VI. Quinines of the quinoline and isoquinoline series," J. Amer. Chem. Soc. 57:1840-1844 (1935)								
	C12	Forbes et al., "N-(1-methyl-5-indolyl)-N'-(3-pyridyl)urea hydrochloride: the first selective 5-HT <sub>IC</sub> receptor antagonist," J. Med. Chem. 36:1104-1107 (1993)								
	C13							0-64 (2000)		

C14	Gall et al., "171. On a few derivatives of heterocyclic carbonic acids IV. Metal ions and biological action, 36 <sup>th</sup> report," Helv. Chim. Acta 38(171):1421-1423 (1955) with translation						
C15	Giencke et al. "Desmethyl(trifluormethyl)actinomycine," Liebigs Ann. Chem. 6:569-579 (1990)						
C16	Hayes, et al., "Cloning and functional expression of a human orthologue of rat vanilloid receptor-1," Pain 88:205-215 (2000)						
C17	Honma et al., "Structure-based generation of a new class of potent Cdk4 inhibitors: New <i>de Novo</i> design strategy and library design," J. Med. Chem. 44:4615-4627 (2001)						
C18	Kawasaki et al., "A new approach to 4-(2-aminoethyl)indoles via Claisen ortho- amide rearrangement of 3-hydroxy-2-methoxyindolines," J. Chem. Soc. Chem. Commun. 10:781-782 (1990)						
C19	Kumar et al. "Antiparasitic agents: Part XV – synthesis of 2-substituted 1(3) <i>H</i> -imidazo[4,5- <i>f</i> ]isoquinolines as anthelmintic agents," Indian Journal of Chemistry 31B:177-182 (1992)						
. C20	Application to the synthesis of the thrombin inhibitor, melagatran," Synth. Comm. 28:4419-4429 (1998)						
C21	Mooney et al., "Potential antitumor agens, 10. Synthesis and biochemical properties of 5-N-alkylamino-,N,N-dialkylamino-, and N-alkylacetamido-1-formylisoquinoline thiosemicarbazones," Journal of Medicinal Chemistry 17(11):1145-1150 (1974)						
C22	Mukkala et al., "124. New heteroromatic complexing agents and luminescence of their europium (III) and terbium(III) chelates," Helvetica Chima Acta 75:1621-1632 (1992)						
C23	Naruto et al., "Photo-induced Friedel-Crafts reactions. IV> Indoleacetic acids," Chemical and Pharmaceutical Bulletin, Tokyo, JP 20(10):2163-2171 (1972)						
C24							
C25							
C26	Prijs et al. "9. On a few derivatives of heterocyclic carbonic acids I Metal ions and biological action, 16 <sup>th</sup> report," Helv. Chim. Acta 37:90-94 (1954) with translation						
C27	reaction. III. Some monofluoroisoquinolines," J. Am. Chem. Soc., 73:687-689 (1951)						
C28	Sato et al., "Construction of optically pure tryptophans from serine derived aziridine-2-carboxylates," Tetrahedron Letters 30(31):4073-4076 (1989)						
C29	thiazolo[4,5-h]-and thiazolo[5,4-f]isoquinolines. The ultraviolet and proton magnetic resonance spectra of some substituted isoquinolines," Canadian Journal of Chemistry 49(24):4054-4061 (1971)						
C30	Warpehoski et al., "Stereoelectronic factors influencing the biological activity and DNA intereaction of synthetic antitumor agents modeled on CC-1065," J. Med. Chem. 31:590-603 (1988)						
EXAMINER	DATE CONSIDERED						

EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

## Form PTO - 1449 (Modified)

(Modified)	449 U.S P.	149 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE			ATTY. DOCKET NO. 6888USP1			SERIAL NO. 10/634,678		
INFORMATION DISCLOSURE STATEMENT BY APPLICANT  (Use several sheets if necessary)					APPLICANT(S)  Lee et al.  FILING DATE   GROUP					
					August 5, 2003			1614		
(37 CFR 1.98 (	((0)		TI C TO A TUTORIC	T DO						
EXAMINER	T	I	U.S.PATENT DO			1	SUB	FILI		
INITIAL		PATENT NUMBER DATE		INVENTOR		CLASS	CLASS	ASS DATE		
	EVID	L EIGN PATENT O	по поптион попли	e in iero	מו ואר או דיוו פוו			THON		
	I OIN	DOCUMENT	PUBLIC-ATION	1 (	COUNTRY O	R CLA			NS-	
		NUMBER	DATE	P/	TENT OFFI	CE	CLA		NOI'	
	B1	03/014064	20.02.2003	W	)					
	B2	02/08221	31.01.2002	w	)					
	В3	00/50387	31.08.2000	- wa	)					
	B4	1 344 579		FR				X		
		THER DOCUMEN	TS (Including )	Author	. Title. Date	. Place of	Publicatio	n)	<del></del>	
1	C1	Adams et al., "Dia	lkylaminoalky	lquino	lines," J. C	hem. Soc.	. 3066-307	<del>2)</del> 71 (1957	)	
	C2	Berge, et al. "Pharmaceutical Salts," Journal of Pharmaceutical Sciences 66:1 et seq. (1977)							et seq.	
,	C3	Cannon et al., "Sy	nthesis of N-al	of N-alkyl derivatives of 4-(2'-aminothyl)indole," J.						
	C4	Caterina, et al., "Ir	erocyclic Chemistry 19:1195-1199 (1982) erina, et al., "Impaired Nociception and pain sensation in mice lacking the capsaic eptor," Science 288:306-313 (2000)							
	C5	Caterina, et al., "The capsaicin receptor: a heat-activated ion channel in the pain pathw								
	C6	Nature 389:816-824 (1997)  Caterina, et al., "The Vanilloid Receptor: A Molecular gateway to the pain pathway,"								
		Annual Review of Neuroscience 24:487-517 (2001)								
	C7	Collier, et al., Br. J. Pharmacol. Chemother. 32:295-310 (1968)								
	C8	Craig et al., "Deriv (1942)	vatives of amin	noisoquinolines," J. Am. Chem. Soc. 64:783-784						
	C9	Davies, "Indazole	ndazole Derivatives: The synthesis of various amino- and hydroxy- and derived sulphonic acids," J. Chem. Soc. 2412-2423 (1955)							
	C10	Davis, et al., "Vanilloid receptor-1 is essential for inflammatory thermal hyperalgesia,"  Nature 405:183-187 (2000)								
	C11	Fieser et al., "A co of the quinoline an	mparison of he	eterocy	clic systen	is with be	enzene. V	. Quinir 0-1844	ies	
		(1935)	•							
	C12	Forbes et al., "N-(	l-methyl-5-ind	lolyl)-l	N'-(3-pyrid	yl)urea hy	drochlorid	de: the fi	rst	
	C13	Fowler, "Intravesion	cal treatment o	nist," J. Med. Chem. 36:1104-1107 (1993) f overactive bladder," <i>Urology</i> 55(Supp 5A):60-64 (					0-64 (2	
						·				

C14	Gall et al., "171. On a few derivatives of heterocyclic carbonic acids IV. Metal ions and biological action, 36 <sup>th</sup> report," Helv. Chim. Acta 38(171):1421-1423 (1955) with translation
C15	Giencke et al. "Desmethyl(trifluormethyl)actinomycine," Liebigs Ann. Chem. 6:569-579 (1990)
C16	Hayes, et al., "Cloning and functional expression of a human orthologue of rat vanilloid receptor-1," Pain 88:205-215 (2000)
C17	Honma et al., "Structure-based generation of a new class of potent Cdk4 inhibitors: New <i>de Novo</i> design strategy and library design," J. Med. Chem. 44:4615-4627 (2001)
C18	Kawasaki et al., "A new approach to 4-(2-aminoethyl)indoles via Claisen ortho- amide rearrangement of 3-hydroxy-2-methoxyindolines," J. Chem. Soc. Chem. Commun. 10:781-782 (1990)
C19	Kumar et al. "Antiparasitic agents: Part XV – synthesis of 2-substituted 1(3) <i>H</i> -imidazo[4,5- <i>f</i> ]isoquinolines as anthelmintic agents," Indian Journal of Chemistry 31B:177-182 (1992)
. C20	Lila et al., "Large scale preparation of protected 4-aminomethylbenzamidine. Application to the synthesis of the thrombin inhibitor, melagatran," Synth. Comm. 28:4419-4429 (1998)
, C21	Mooney et al., "Potential antitumor agens, 10. Synthesis and biochemical properties of 5-N-alkylamino-,N,N-dialkylamino-, and N-alkylacetamido-1-formylisoquinoline thiosemicarbazones," Journal of Medicinal Chemistry 17(11):1145-1150 (1974)
C22	Mukkala et al., "124. New heteroromatic complexing agents and luminescence of their europium (III) and terbium(III) chelates," Helvetica Chima Acta 75:1621-1632 (1992)
C23	Naruto et al., "Photo-induced Friedel-Crafts reactions. IV> Indoleacetic acids," Chemical and Pharmaceutical Bulletin, Tokyo, JP 20(10):2163-2171 (1972)
C24	Nolano, et al., "Topical capsaicin in humans: parallel loss of epidermal nerve fibers and pain sensation," Pain 81:135-145 (1999)
C25	Prescott, et al., Methods in Cell Biology, Academic Press, New York, N.Y. Vol. 14:33 et seq. (1976)
C26	Prijs et al. "9. On a few derivatives of heterocyclic carbonic acids I Metal ions and biological action, 16 <sup>th</sup> report," Helv. Chim. Acta 37:90-94 (1954) with translation
C27	Roe et al., "The preparation of heterocyclic fluorine compounds by the schiemann reaction. III. Some monofluoroisoquinolines," J. Am. Chem. Soc., 73:687-689 (1951)
C28	Sato et al., "Construction of optically pure tryptophans from serine derived aziridine-2-carboxylates," Tetrahedron Letters 30(31):4073-4076 (1989)
C29	Taurins et al., "Thiazoloisoquinolines. IV. The synthesis and spectra of thiazolo[4,5-h]-and thiazolo[5,4-f]isoquinolines. The ultraviolet and proton magnetic resonance spectra of some substituted isoquinolines," Canadian Journal of Chemistry 49(24):4054-4061 (1971)
C30	Warpehoski et al., "Stereoelectronic factors influencing the biological activity and DNA intereaction of synthetic antitumor agents modeled on CC-1065," J. Med. Chem. 31:590-603 (1988)
EXAMINER	DATE CONSIDERED

EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.